



Q Multibenne™ M+





r11255825_853_857_858_859_860_862

Manure & Silage Implements

Part assemblies Multibenne M+ 190
Specification 18/12/2020 00:00:00

PartNo	Pos	Qty	Name	Specification
11255858		1	Multibenne M+ 190	
11261793	1	1 PCS	Grab head	190
5068112-17	2	10 PCS	• Tine with nut	L=680, Curved (5068102)
5068111	3	1	•• Nut	Conus 1
5018515	4	4	• Bushing	D30 L=20
11260312-22	5	2	Side tine	
60054549	6	1 PCS	Bucket	Multibenne M+ 190
5022119		2	• Plug	
60044748	7	1 PCS	Cutting edge	
12711010-1	8	2	Cylinder	Alo Black
9020047	9	4	Pin	D=30mm, L=151mm
9020048	10	2 PCS	Pin	D=30mm, L=125mm
5215131	11	6	Locking cover	
5004917	12	6	Screw	
5002127	13	4	Screw	M6S M14 x 35
5013107	14	4	Washer	15 x 26 x 2
5011556	15	4	Nut	M14
11120580	16	2	Adapter cpl.	
5028031	17	2	T-Adapter	
60057117		1 PCS	Hose kit	
60057120	18	2	• Hose	3/8" L=1350 1/2GRML 3/8G90LMC
60057119	19	2	• Hose	3/8" L=1150 1/2GRML 3/8G90LMC
5016968	20	2	Hose clamp	
9010120	21	10 PCS	Sleeve	Conus 1 Curved
5011553	22	2	Nut	M6M M8 Loc-king
11136517	23	1	Warning decal	"Tightening of tine"
1123674	24	1	Warning decal	"Read manual"
1123673	25	1	Warning decal	
60054486	26	1 PCS	Decal	Multibenne M+
60056616	27	2	Decal	"Q" medium 110mm

MŰSZAKI ADATOK

									
Modell		130	150	170	190	210	230	250	
Magasság nyitottan	A	142 cm							
Magasság zártan	B	89 cm							
Távolság tüske és vágóél között(nyitottan)	C	125 cm							
Távolság tüske és vágóél között(zártan)	D	1,7 cm							
Szélesség felfogatás nélkül	E	106 cm							
Kanál mélység	F	74 cm							
Teljes szélesség	G	134 cm	154 cm	174 cm	194 cm	214 cm	234 cm	254 cm	
Munkaszélesség	H	132 cm	152 cm	172 cm	192 cm	212 cm	232 cm	252 cm	
Magasság (belső)	I	73 cm							
Súly felfogatás nélkül		293 kg	318 kg	383 kg	410 kg	452 kg	480 kg	508 kg	
Súly Euro felfogatással		278 kg	302 kg	367 kg	393 kg	436 kg	464 kg	492 kg	
Úrtartalom		0,66 m³	0,76 m³	0,86 m³	0,96 m³	1,07 m³	1,17 m³	1,27 m³	
Munkahenger átmérő		2x65/40 mm			2x75/40 mm				
Maximum munkanyomás		210 bar / 21 MPa							
Ciklus idő, (nyit > zár > nyit) 40 l/min (sec) olajszállításnál		5 sek			7,2 sek				
Súlypont		X	370 mm						
		Y	500 mm						